

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of	)	Attorney Docket No.: <b>NOVAP0012</b>
	)	
Joseph HESS et al.	)	Confirmation No.: 7721
	)	
Serial No.: 10/824,658	)	Group Art Unit: 2853
	)	
Filed: April 15, 2004	)	Examiner: Unassigned
	)	
For: LOW-COST LIQUID DROPLET	)	Date: January 23, 2006
SPRAY DEVICE AND NOZZLE	)	
BODY	)	

**REQUEST FOR CORRECTED OFFICIAL FILING RECEIPT**

**ATTN: Office of Initial Patent Examination's  
Filing Receipt Corrections**

U.S. Patent and Trademark Office  
Customer Service Window  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

Sir:

An error was noted upon review of the Official Filing Receipt, and, accordingly it is respectfully requested that a corrected Official Filing Receipt be promptly forwarded to the undersigned attorney for applicant(s). Attached is a marked up filing receipt to show the correction that is needed.


**In the Foreign Applications section:**

**Please delete "030080773.4" and insert therefore -03008077.4 --.**

It is believed that no fee is required with the filing of this paper, however, should the filing of this paper necessitate a fee, the Director is hereby authorized to charge the necessary fee to Deposit Account No. 50-1281.

Respectfully submitted,

*GRIFFIN & SZIPL, P.C.*

  
\_\_\_\_\_  
Joerg-Uwe Szipl  
Registration No. 31,799

GRIFFIN & SZIPL, P.C.  
Suite PH-1  
2300 Ninth Street, South  
Arlington, VA 22204

Telephone: (703) 979-5700  
Facsimile: (703) 979-7429  
Email: gands@szipl.com  
Customer No.: 24203